# SAFETY DATA SHEET

# 1 PRODUCT AND SUPPLIER IDENTIFICATION

Product Name: Aluminum-Silicon Alloy - pieces, wire

Other: Aluminum-Si

**Supplier**: Stanford Advanced Materials

23661 Birtcher Dr.

Lake Forest, California, 92630

**Telephone**: (949) 407-8904 **Fax**: (949) 812-6690

**Emergency**: (949) 407-8904

Recommended Uses: Scientific Research

#### **2 HAZARDS IDENTIFICATION**

GHS Classification (29 CFR 1910.1200): Not classified as hazardous

GHS Label Elements: Signal Word: N/A

Hazard Statements: N/A

Precautionary Statements: N/A

# 3 COMPOSITION/INFORMATION ON INGREDIENTS

Ingredient:	CAS#:	<b>%</b> :	EC#:
Aluminum	7429-90-5	75-99	231-072-3
Silicon	7440-21-3	1-25	231-130-8

# **4 FIRST AID MEASURES**

**General Measures**: Under normal handling and use, exposure to solid forms of this material present few health hazards. Subsequent operations such as grinding, melting or welding may produce potentially hazardous dust or fumes which can be inhaled or come in contact with the skin or eyes.

**INHALATION**: Remove to fresh air, keep warm and quiet, give oxygen if breathing is difficult. Seek medical attention.

**INGESTION**: Rinse mouth with water. Do not induce vomiting. Seek medical attention. Never induce vomiting or give anything by mouth to an unconscious person.

**SKIN**: Remove contaminated clothing, brush material off skin, wash affected area with soap and water. Seek medical attention if symptoms persist.

**EYES**: Flush eyes with lukewarm water, including under upper and lower eyelids, for at least 15 minutes. Seek medical attention if symptoms persist.

**Most Important Symptoms/Effects, Acute and Delayed**: May cause irritation. See section 11 for more information.

Indication of Immediate Medical Attention and Special Treatment: No other relevant information available.

#### 5 FIREFIGHTING MEASURES

Extinguishing Media: Use suitable extinguishing media for surrounding material and type of fire.

Unsuitable Extinguishing Media: No information available.

**Specific Hazards Arising from the Material:** This product does not present fire or explosion hazards as shipped. Small chips, fine turnings and dust from processing may be ignitable. May emit metal oxide fumes under fire conditions.

**Special Protective Equipment and Precautions for Firefighters**: Full face, self-contained breathing apparatus and full protective clothing when necessary.

### **6 ACCIDENTAL RELEASE MEASURES**

**Personal Precautions, Protective Equipment, and Emergency Procedures**: Wear appropriate respiratory and protective equipment specified in section 8. Avoid dust formation. Avoid contact with skin and eyes. Avoid breathing dust or fume.

**Methods and Materials for Containment and Cleaning Up**: Sweep or scoop up. Place in a closed container for further handling and disposal.

Environmental Precautions: Do not allow to enter drains or to be released to the environment.

# **7 HANDLING AND STORAGE**

**Precautions for Safe Handling:** Avoid creating dust. Provide adequate ventilation if dusts are created. See section 8 for information on personal protection equipment.

**Conditions for Safe Storage**: Store in a sealed container. Store in a cool, dry area. See section 10 for more information on incompatible materials.

# **8 EXPOSURE CONTROLS AND PERSONAL PROTECTION**

Exposure Limits: OSHA/PEL: ACGIH/TLV:

Aluminum  $5 \text{ mg/m}^3 \text{ (respirable)}$   $1 \text{ mg/m}^3 \text{ (respirable)}$ Silicon  $5 \text{ mg/m}^3 \text{ (respirable)}$   $5 \text{ mg/m}^3 \text{ (respirable)}$ 

**Engineering Controls**: Ensure adequate ventilation to maintain exposures below occupational limits. Whenever possible the use of local exhaust ventilation or other engineering controls is the preferred method of controlling exposure to airborne dust and fume to meet established occupational exposure limits. Use good housekeeping and sanitation practices. Do not use tobacco or food in work area.

Wash thoroughly before eating or smoking. Do not blow dust off clothing or skin with compressed air.

Respiratory Protection: If permissible levels are exceeded, use NIOSH approved dust respirator.

Eye Protection: Safety glasses

**Skin Protection**: Wear impermeable gloves, protective work clothing as necessary.

### 9 PHYSICAL AND CHEMICAL PROPERTIES

Appearance:

**Form**: Solid in various forms

Color: Silver-gray
Odor: Odorless

Odor Threshold: Not determined

pH: N/A

Melting Point: No data

Boiling Point: No data

Flash Point: N/A

**Evaporation Rate**: N/A

Flammability: No data
Upper Flammable Limit: No data
Lower Flammable Limit: No data

Vapor Pressure: No data

Vapor Density: N/A

Relative Density (Specific Gravity): No data

Solubility in H<sub>2</sub>O: Insoluble

Partition Coefficient (n-octanol/water): Not determined

Autoignition Temperature: No data

Decomposition Temperature: No data

Viscosity: N/A

### **10 STABILITY AND REACTIVITY**

Reactivity: No data

**Chemical Stability**: Stable under recommended storage conditions.

Possibility of Hazardous Reactions: No data

Conditions to Avoid: Avoid creating or accumulating fines or dusts.

Incompatible Materials: Acids, oxidizers, bases, halogens.
Hazardous Decomposition Products: Metal oxide fume.

# 11 TOXICOLOGICAL INFORMATION

**Likely Routes of Exposure**: Inhalation, skin, eyes. Product as shipped does not present an inhalation hazard; however subsequent operations may create dusts or fumes which could be inhaled.

Symptoms of Exposure: Fines/dusts may irritate skin and eyes.

# **Acute and Chronic Effects:**

Aluminum: There is strong evidence that aluminum (compounds) can cause irritation following exposure via either inhalation or injection. Modest evidence of an effect exists for reproductive toxicity following oral exposure, for neurological toxicity following either oral or injection exposure, and for bone toxicity following injection exposure. All other effects were judged to be supported by either limited evidence or no clear evidence at all.<sup>1</sup>

Silicon: Inhalation or contact with silicon dusts may cause irritation. There is no available data to show any toxic effects for elemental silicon.

Acute Toxicity: No data

**Carcinogenicity**: No components of this alloy have been identified by NTP or IARC as carcinogenic.

To the best of our knowledge the chemical, physical and toxicological characteristics of the substance

are not fully known.

### 12 ECOLOGICAL INFORMATION

**Ecotoxicity**: No data

Persistence and Degradability: No data Bioaccumulative Potential: No data

Mobility in Soil: No data

Other Adverse Effects: No further relevant information available.

### 13 DISPOSAL CONSIDERATIONS

**Waste Disposal Method:** 

Product: Dispose of in accordance with Federal, State and Local regulations.Packaging: Dispose of in accordance with Federal, State and Local regulations.

# **14 TRANSPORT INFORMATION**

Shipping Regulations: Not regulated
UN Number: N/A
UN Proper Shipping Name: N/A

Transport Hazard Class: N/A
Packing Group: N/A

Marine Pollutant: No

# 15 REGULATORY INFORMATION

TSCA Listed: All components are listed.

Regulation (EC) No 1272/2008 (CLP): N/A

Canada WHMIS Classification (CPR, SOR/88-66): N/A

HMIS Ratings: Health: 0 Flammability: 0 Reactivity: 0

NFPA Ratings: Health: 0 Flammability: 0 Reactivity: 0

Chemical Safety Assessment: A chemical safety assessment has not been carried out.

### **16 OTHER INFORMATION**

This material safety data sheet is offered solely for your information, consideration, and investigation. Stanford Advanced Materials provides no warranties, either express or implied, and assumes no responsibility for the accuracy or completeness of the data contained herein.

